



# DELIVERED WITH PRIDE

## YANDIYA GROUP LIMITED

Add: 1201 Tower B, Zhan Tao Technology Building, Minzhi Avenue, Long Hua, Bao An, Shenzhen 518131 China  
Tel: 86-755-23303746 Fax: 86-755-86203626  
sales@yandiya.com www.yandiya.com

### LED SOLAR PANEL LIGHT



Product Name: YL-SPS030  
Issue Date: 2013-07-24

Quality Department	Engineer Department	Producer
Sam Zhang	Zhang yu wang	feng min Fu

#### ➤ **Features**---a variety of functions

Home solar rechargeable lights bring permanent benefit: camping lamp, outdoor flashlight, household bulb lamp, table lamp, light bulbs, deck lights, wall night, study lamp, remote control lights emergency lights.

Three Bulbs Solar System is design for use in area where there is limited power, with its powerful solar panel and with its three bulbs, with internal batteries. This system is ideal for small houses, with the portable bulb; they can easy be disconnected and used in an emergency as a flashlight, by extending the integral pull out handle.

The bulb can be positioned in any area and will give up to 8 hours of light, on any full charge, don't be in the dark again, use the sun to power your lights.

Comes complete with its own phone charger and full installation instructions, while any and all bulbs can be used with the remote control as individuals or one remote can control all the bulbs.

This system gives 100% power saving on all of its light, no need to use any adaptors to charge the bulbs, just the power of the sun.



# DELIVERED WITH PRIDE

## YANDIYA GROUP LIMITED

Add: 1201 Tower B, Zhan Tao Technology Building, Minzhi Avenue, Long Hua, Bao An, Shenzhen 518131 China  
Tel: 86-755-23303746 Fax: 86-755-86203626  
sales@yandiya.com www.yandiya.com


### ➤ Product Specifications

Model No.	YL-SPS030
Voltage	DC5-24V
Frequency	50/60HZ
Led	33 Leds
Battery	Lithium battery
Charge Time	5-6Hours each
Luminous Flux	260-280Lm Each
LED Lifetime	40,000Hours
Battery Discharge Time	6-10hours
Switching	DC-OFF-IR
Base	E27
Housing Material	PC
Dimensions	60*115-140mm
Color Temperature	3000K/6500K
Solar panel	12-14W
Quality Guaranteed	2 Years
Inner Box Dimensions	550*450*65mm
Packing	Color box
Weight of per box	3Kgs
Carton size	550*450*350mm
Weight Per Carton	15Kgs

### ➤ Usage Instruction

The bulb is only to be used with DC5-24V, When connecting use DC-Switch to IR position-Use remote to switch on/off; When Switch on DC-can be used as Torch connect to solar panel for charging. Replace End Dust cap and can be used as Torch or for handing position, when indicator LED is RED battery charging-When Fully Charged Indicator Turns Green.

### ➤ Solar panels feature curve:






**DELIVERED WITH PRIDE**

**YANDIYA GROUP LIMITED**

Add: 1201 Tower B, Zhan Tao Technology Building, Minzhi Avenue, Long Hua, Bao An, Shenzhen 518131 China  
Tel: 86-755-23303746 Fax: 86-755-86203626  
sales@yandiya.com www.yandiya.com

➤ **Product Dimensions:**



➤ **Electrical Connection:**




➤ **Method of application:**


Usage of draw bar




① Rotate draw bar towards anticlockwise position to extend



② Pull out draw bar



③ Rotate draw bar towards clockwise position to lock in place



④ Rotate on protective cover towards clockwise position.




**DELIVERED WITH PRIDE**

**YANDIYA GROUP LIMITED**

Add: 1201 Tower B, Zhan Tao Technology Building, Minzhi Avenue, Long Hua, Bao An, Shenzhen 518131 China  
Tel: 86-755-23303746 Fax: 86-755-86203626  
sales@yandiya.com www.yandiya.com

➤ **Switch**



➤ **Packing:**

